




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : G06F 17/60	A1	(11) International Publication Number: WO 00/52614 (43) International Publication Date: 8 September 2000 (08.09.00)
<p>(21) International Application Number: PCT/US00/03585</p> <p>(22) International Filing Date: 11 February 2000 (11.02.00)</p> <p>(30) Priority Data: 60/122,826 4 March 1999 (04.03.99) US</p> <p>(71) Applicant (for all designated States except US): ASCOM HASLER MAILING SYSTEMS, INC. [US/US]; 19 Forest Parkway, P.O. Box 858, Shelton, CT 06484-0904 (US).</p> <p>(72) Inventors; and (75) Inventors/Applicants (for US only): BROOKNER, George, M. [US/US]; 11 Surrey Drive, Norwalk, CT 06851 (US). YIP, Alex, L. [US/US]; 141-15 Hoover Avenue, Briarwood, NY 11435 (US). LEARY, Brian, T. [US/US]; 352 Woodruff Road, Milford, CT 06460 (US).</p> <p>(74) Agent: YIP, Alex, L.; Londa and Traub LLP, 37th Floor, 20 Exchange Place, New York, NY 10005 (US).</p>	<p>(81) Designated States: CA, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).</p> <p>Published With international search report.</p>	

(54) Title: TECHNIQUE FOR EFFECTIVE MANAGEMENT OF RESOURCE CONSUMPTION



(57) Abstract

In an arrangement for accounting for consumption of a resource, e.g., utilization of a postal service or utilities, a data center (503, 803) periodically communicates with multiple franking systems (100, 505-1, 505-2, 505-n) dispensing postage for the postal service utilization. The data center (503, 803) receives transaction records (301, 303, 305, 307, 309), where a transaction record (301, 303, 305, 307, 309) is associated with each transaction performed by the franking system (100, 505-1, 505-2, 505-n) in each period. Each record (301, 303, 305, 307, 309) includes at least the postage dispensed (305) in the associated franking transaction, and an ascending register value (307) indicating the cumulative postage dispensed. Using the received records (301, 303, 305, 307, 309), the data center (503, 803) assesses the charges during the period and causes assessed charges to be charged to an account associated with the franking system (100, 505-1, 505-2, 505-n). In addition, the data center (503, 803) forwards a copy of the received records (301, 303, 305, 307, 309) to another system (507, 550, 565, 850, 865) for storage, which may be used by the postal authority or utility to audit the charges.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

-1-

DescriptionTECHNIQUE FOR EFFECTIVE
MANAGEMENT OF RESOURCE CONSUMPTIONTechnical Field

The invention relates to resource management techniques, and more particularly to a technique for accounting for consumption of a resource, e.g.,
5 utilization of a postal service.

Background of the Invention

Postage representing payment for a postal service makes up a significant portion of expenses of many businesses. For example, an insurance company
10 routinely sends a large number of bills and correspondence to customers via mail, thereby incurring substantial postage.

To facilitate mailing of a large volume of mail, a franking system is often employed to frank, on
15 mailpieces, postage indicia which serve as proof of postage. One such franking system may be a postage meter, or general purpose computer equipment, e.g., a personal computer (PC), having appropriate software installed therein for printing postage indicia using a
20 local/network printer.

To secure accounting of postage dispensation, some postal authorities, e.g., the United States Postal Service (USPS), advocate use of a postal security device (PSD) in a franking system. For example, the USPS
25 promulgated specifications for the design of the PSD under an Information-Based Indicia Program (IBIP).

In general, a PSD has a secure housing, and within the secure housing are accounting registers and a cryptographic engine. These accounting registers
30 typically include an ascending register and a descending register. As is well known, the ascending register is used to keep track of the amount of postage dispensed.

-2-

On the other hand, the descending register is used to keep track of the amount of postage available for postage dispensation. The cryptographic engine is used to sign certain postal information contained in a postage indicium to authenticate the same, in accordance with a well known public key algorithm. One such public key algorithm may be the Digital Signature Algorithm (DSA) described, e.g., in "Digital Signature Standard (DSS)," FIPS PUB 186, May 19, 1994. The cryptographic engine also carries out cryptographic authentication and signing for communications of the PSD with a remote data center, which may be maintained by a party other than a postal authority, e.g., a postage metering equipment or service provider. Such communications may be used to set up and maintain the PSD, and to replenish the postage fund by adjusting the value of the descending register in the PSD, in accordance with a well known telemeter setting (TMS) technique.

Summary of the Invention

We have recognized that the prior art use of the descending register to keep a postage fund in a PSD or franking system described above is inefficient. Specifically, in prior art, to avoid the inconvenience of performing the TMS frequently, e.g., daily, to adjust the descending register value to replenish the postage fund, a customer normally keeps the descending register value higher than the actual postage consumed each day. Depending on the volume of mail sent by the customer and the predictability of the mail volume, the descending register value can be significant, and the difference between the descending register value and the actual postage consumed each day may be substantial. We have recognized that such a difference represents undesirable illiquidity to the customer. For that matter, the prior art use of the descending register is totally undesirable as it causes the customer to commit a possibly large fund

-3-

in the descending register which the customer has not spent for proof of payments, and does not even earn interest on.

5 In accordance with the invention, the customer is charged only for the postage franked. As a result, no fund is tied up in a descending register in a franking system. In fact, the need of use of the descending register may be completely obviated. Thus, in accordance with the invention, records of franking transactions
10 performed by the franking system are communicated to a remote data center from time to time, e.g., periodically, to account for the postage franked in a reporting period. Each record includes at least (a) transaction time information, (b) the franking transaction amount, and (c)
15 an ascending register value indicating the cumulative postage franked. Based on the received records, the data center assesses the postage dispensed during the reporting period. The data center causes charging the assessed postage to an account associated with the
20 franking system. In addition, the data center forwards a copy of the received records to another system for storage, which may be audited by the postal authority. The inventive arrangement may similarly be employed to account for other resource consumptions such as utility
25 consumptions. In that case, the utility provider may also re-allocate the resource in a timely fashion in response to the customer needs based on statistics derived from the received records. For example, extraordinary consumption could relate to a malfunction
30 which may otherwise have gone unnoticed for an extended period of time.

Brief Description of the Drawing

Further objects, features and advantages of the invention will become apparent from the following
35 detailed description taken in conjunction with the accompanying drawing, in which:

-4-

Fig. 1 is a block diagram of a franking system in accordance with the invention for conducting franking transactions to generate postage indicia;

Fig. 2 is a block diagram of a postal security device (PSD) used in the franking system of Fig. 1;

Fig. 3 illustrates a format of a franking transaction record stored in the PSD of Fig. 2;

Figs. 4A and 4B respectively illustrate franking transaction records in the format of Fig. 3;

Fig. 5 illustrates a postage finance arrangement in accordance with the invention;

Fig. 6 illustrates a format of a financial account record stored in a computer system in the arrangement of Fig. 5;

Fig. 7 illustrates a process performed by the computer system for effecting postage finance in accordance with the invention;

Fig. 8 illustrates a finance arrangement to account for consumption of a resource provided by a company in accordance with the invention;

Fig. 9 is a block diagram of a meter for reporting the resource consumption; and

Fig. 10 illustrates a finance arrangement to account for consumptions of different resources provided by more than one company in accordance with the invention.

Detailed Description

Fig. 1 illustrates franking system 100 embodying the principles of the invention for generating postage indicia. In this particular illustrative embodiment, system 100 is configured as an "open system," where computer 105 may be a conventional personal computer (PC) serving as a host device, and where postal security device (PSD) 110, printer 115 for franking or printing postage indicia, and modem 120 are peripherals to computer 105. Alternatively, computer 105 may be a

-5-

workstation or any other general purpose computing machine. In addition, modem 120 in this instance is shown as an external modem, it will be appreciated that any internal modem or network interface card (NIC) within
5 computer 105 may be used, instead.

Fig. 2 illustrates PSD 110 in accordance with the invention. PSD 110 may be secured by well known hardware protection means and other tamper-resistant methodologies. As shown in Fig. 2, PSD 110 comprises
10 processor 203, clock 205, static random-access memory (SRAM) 207, a non-volatile memory, e.g., flash memory 209, communications interface 211 for interfacing with computer 105, and cryptographic engine 220.

In a prior art PSD, a descending register is
15 used to keep track of the amount of postage available for postage dispensation. When the descending register value decreases over time below a predetermined limit, e.g., zero, a franking system can no longer dispense postage until the descending register is reset. Such a reset may
20 be achieved by way of electronic funds transfer, in accordance with a well known telemeter setting (TMS) technique. However, to avoid the inconvenience of performing resets frequently, e.g., daily, a customer normally keeps the descending register value higher than
25 the actual postage consumed each day. Depending on the volume of mail sent by the customer and the predictability of the mail volume, the descending register value can be significant, and the difference between the descending register value and the actual
30 postage consumed each day may be substantial. We have recognized that such a difference represents undesirable illiquidity to the customer. For that matter, the prior art arrangement using a descending register to store an available postage fund is totally undesirable as it
35 causes the customer to commit a possibly large fund in the descending register on which the customer does not even earn interest.

-6-

In a postage finance arrangement in accordance with the invention described below, the customer is charged only for the postage franked. As a result, no fund is tied up in a descending register in a franking system. In fact, the need of use of the descending register may be completely obviated. The inventive postage finance arrangement involves communications of records of franking transactions by the franking system to a remote data center to account for the postage franked.

Thus, in this illustrative embodiment, PSD 110 contains no descending register. SRAM 207 however stores an ascending register value in ascending register 230. As is well known, ascending register 230 is used to keep track of the amount of postage dispensed. SRAM 207 also stores a first pair of public key and private key in key buffer 237, a second pair of public key and private key in key buffer 239, transaction log 241 for recording past franking transactions, counter 233 and other administrative information.

Because the contents of SRAM 207 need to be refreshed from time to time, SRAM 207 is required to be powered by a battery (not shown) in PSD 110. For fear that the battery power should be unexpectedly lost, the ascending register value and the transaction log are redundantly stored in flash memory 209 whose contents, unlike those of SRAM 207, need not be refreshed. Flash memory 209 also contains program instructions for processor 203 to orchestrate, in concert with cryptographic engine 220, the operation of PSD 110. This operation includes generation of digital signatures for inclusion in postage indicia to be franked or printed by printer 115 on envelopes, or labels for application onto mailpieces. The digital signatures are used to authenticate the respective postage indicia.

The generation of a digital signature and subsequent verification thereof require use of the key

-7-

pair --private key 236a and public key 236b-- in buffer 237, in accordance with a well known public key algorithm. In a conventional manner, the pair of keys are generated mathematically. In this particular

5 illustrative embodiment, the public key algorithm used is the Digital Signature Algorithm (DSA) described, e.g., in "Digital Signature Standard (DSS)," FIPS PUB 186, May 19, 1994. Cryptographic engine 220 uses private key 236a to sign certain postal data. The resulting digital

10 signature, which is distinct for each postage indicium, is included in the indicium.

Unlike public key 236b which may be made available to the public in the postage indicium, the corresponding private key 236a needs to be securely

15 stored in PSD 110. Otherwise, using private key 236a which is illegally obtained by, say, tampering with PSD 110, a perpetrator may fraudulently generate postage indicia without accounting for the postage expended. Thus, to prevent fraud, for example, any tampering with

20 PSD 110 may cause the power of the battery therein to be cut off, thereby "zeroizing" or clearing some or all contents of SRAM 207, and each private key within PSD 110.

Similarly, the key pair --private key 238a and

25 public key 238b-- in buffer 239, different from the key pair in buffer 237, is used for authenticating communications with the aforementioned remote data center to set up and maintain PSD 110, and to account for the postage franked in accordance with the invention.

30 To keep track of the franking transactions handled by PSD 110, processor 203 maintains counter 233 in SRAM 207, which counts in an ascending order starting from zero. Processor 203 causes counter 233 to increase its count by one each time to account for a new franking

35 transaction. Thus, the current count, denoted TID, is used to identify the franking transaction being conducted. Processor 203 also maintains transaction log

-8-

241 which records past franking transactions.

Fig. 3 illustrates the format of each transaction record in log 241. In this instance, each transaction is identified by a TID in field 301 of the record. Field 303 contains information concerning date and time of the transaction provided by clock 205. Field 305 contains information concerning the transaction amount, i.e., the postage franked in the transaction. Field 307 contains the ascending register value as a result of the transaction. Field 309 contains a FLAG which indicates whether any ascending register "rollover" has occurred in the current transaction. An occurrence of an ascending register rollover stems from the limited number of digits that ascending register 230 can accommodate. In this illustrative embodiment, register 230 can accommodate up to 9 digits. As a result, the maximum value which can be held by register 230 is 9,999,999.99. When a value is added to the current ascending register value with the resulting sum exceeding this maximum value, an ascending register rollover would occur and the left-most digit of the resulting sum would be truncated to maintain the 9 digit limit. Thus, for example, when ascending register 230 is at 9,999,998.98, if 1.04 is added thereto, the resulting ascending register value would be 0,000,000.02 because of the rollover, instead of the supposed sum 10,000,000.02 as the left most digit "1" of the supposed sum is truncated to maintain the 9 digit limit.

When PSD 110 is initially put in service, an initial record is created in log 241. In this initial record, field 301 contains TID = 0; field 303 indicates the date and time that PSD 110 is put in service; field 305 contains zero as the transaction amount since no postage has been franked; field 307 contains zero as the initial ascending register value; and field 309 contains Flag = 0 indicating no ascending register rollover has occurred.

-9-

When processor 203 conducts the first franking transaction to dispense first postage in response to a user request communicated through computer 105, processor 203 causes counter 233 to increase its count from zero to one, thereby identifying the first franking transaction with TID = 1. In addition, processor 203 adds the first postage value to the current ascending register value (which is zero in this instance). Processor 203 thereafter transmits to engine 220, an ensemble of information including (a) the first postage value, (b) the resulting ascending register value, and (c) a set of other postal data elements which need to be signed by engine 220 to generate a digital signature.

In response, engine 220 transmits the required digital signature to processor 203 for inclusion in a postage indicium to be printed by printer 115, thereby accomplishing the first franking transaction. Processor 203 then posts the transaction by creating a record in log 241, in accordance with the format of Fig. 3. The resulting record contains TID = 1 in field 301, the date and time that the first transaction occurs in field 303, the first postage value in field 305, the updated ascending register value in field 307, and FLAG = 0 in field 309 as no ascending register rollover has occurred in this transaction.

In addition, the updated value in ascending register 230 and the newly created record in log 241 are redundantly stored by processor 203 in flash memory 209.

Processor 203 conducts the subsequent franking transactions and creates the corresponding records in a manner similar to the above. However, the FLAG value in field 309 of the record of a particular transaction depends on whether any ascending register rollover described above has occurred in that particular transaction. Refer now to Figs. 4A and 4B which illustrate the records of two consecutive franking transactions by system 100, respectively. Fig. 4A

-10-

illustrates transaction record 401 corresponding to transaction TID = 2233. As shown in field 307 of record 401, the ascending register value resulting from the transaction is 9,999,986.60. Since no ascending register
5 rollover has occurred in this transaction, field 309 of record 401 has Flag = 0 indicating such.

Fig. 4B illustrates transaction record 402 corresponding to franking transaction TID = 2234. As shown in field 305 of record 402, the postage franked or
10 the transaction amount is 15.25. As a result, had no ascending register rollover had occurred, field 307 of record 402 would have included a supposed sum $9,999,986.60 + 15.25 = 10,000,001.85$. However, this supposed sum exceeds the 9 digit limit that ascending
15 register 230 can accommodate in this instance. As a result, an ascending register rollover occurs in this transaction and the left-most digit of the supposed sum is truncated. Thus, field 307 of record 402 contains 0,000,001.85 as the updated ascending register value. In
20 addition, field 309 has FLAG = 1 indicating the ascending register rollover occurrence in this transaction.

Fig. 5 illustrates the postage finance arrangement in accordance with the invention where data center 503 communicates with franking systems 100 and
25 505-1 through 505-N to, among other things, obtain therefrom franking transaction records from time to time to account for their postage consumptions, respectively, where N represents an integer greater than or equal to one. In this illustrative embodiment, each of franking
30 systems 505-1 through 505-N is structurally identical to system 100 described above. Data center 503 comprises computer system 507 which is capable of communicating data with selected ones of franking systems 100 and 505-1 through 505-N via communication connections established
35 by modem pool 509. These connections may be, e.g., dial-up connections, Internet connections, etc. The data communications between data center 503 and the franking

-11-

systems may be in accordance with the protocol disclosed in U.S. Patent No. 5,715,164 issued February 3, 1998 to Liechti et al.

In this illustrative embodiment, computer system 507 initiates communications with franking systems 100 and 505-1 through 505-N periodically to obtain the respective transaction records, from which the postage consumptions for the period is derived in a manner described below. Such postage consumptions are then accounted for by charging same to the accounts associated with the franking systems, where such accounts may be checking accounts, debit accounts, credit accounts, revolving credit accounts, prefunded accounts, escrow accounts, etc., held by one or more financial institutions. To that end, system 507 maintains database 540 therein, which contains financial account records concerning the respective franking systems served by data center 503. Alternatively, database 540 may be remote from data center 503.

Fig. 6 illustrates the format of each financial account record in database 540. In this instance, each franking system is identified by a PSD serial number in field 603 pre-assigned to its PSD. Field 605 contains information concerning the financial account associated with the franking system, which includes a financial account number, and data identifying the financial institution with which the account is maintained.

Since the number of franking systems served by data center 503 may be significant and their geographic locations, and thus the time zones they are in, may be very different, computer system 507 may not communicate with all of the franking systems at the same time. Rather, computer 507 communicates with the franking systems in a staggered manner. Preferably, the communication with each franking system takes place between the last mail pick-up of the day in the area where the franking system resides and the first mail

-12-

pick-up of the following day in that area.

Thus, for example, let's say the last mail pick-up on each business day in the area where franking system 100 resides is at 5 p.m. (local time) and the first mail pick-up is at 8 a.m. the following business day. Computer system 507 may be programmed to communicate with system 100 between 5 p.m. each business day and 8 a.m. the following business day, e.g., 5:20 p.m. That is, at 5:20 p.m. each business day, computer system 507 initiates communications with system 100 to obtain those records in transaction log 241 having field 303 time-stamped after 5 p.m. of the previous business day up to 5 p.m. of the current business day. Even though system 100 may be used to frank additional postage after 5 p.m. of the day, such postage has not been "earned" by the postal authority as no postal service has been rendered thereby after 5 p.m. that day, and not until 8 a.m. the following day. In any event, such additional franked postage would be picked up by computer system 507 in the next reporting cycle. Thus, the present postage finance arrangement advantageously accounts for the expended postage for which postal service has been rendered.

It should be noted that if the mail pick-up times concerning a franking system vary, e.g., from day to day, the schedule of communications with the franking system can be programmed accordingly in computer system 507 to realize the present postage finance arrangement.

Continuing the above example, without loss of generality, computer system 507 is programmed to initiate a communication connection with franking system 100 at 5:20 p.m. on each business day. Through such a communication connection, computer system 507 requests from franking system 100 those transaction records in the current reporting cycle, i.e., those records time-stamped after 5 p.m. of the previous business day up to 5 p.m. of the current business day. In response, processor 203 in

-13-

system 100 retrieves the transaction records in question from transaction log 241. The retrieved transaction records are then cryptographically signed and/or encrypted by cryptographic engine 220. In this instance, 5 these records are cryptographically signed using private key 238a in buffer 239, in accordance with a well known data authentication algorithm, e.g., the DSA. The signed transaction records are transmitted to computer system 507 through the established communication connection.

10 After computer system 507 receives the signed transaction records from franking system 100, as indicated at step 703 in Fig. 7, system 507 in a well known manner uses public key 238b, a copy of which was provided thereto earlier, to authenticate the received 15 records, as indicated at step 706. If the received records cannot be authenticated, system 507 at step 709 causes franking system 100 to re-transmit the signed records in question. However, a predetermined limit on the number of allowable re-transmissions is imposed. 20 When such a limit is exceeded, computer system 507 may cause franking system 100 to shut down until it is satisfactorily audited and re-started by authorized personnel.

 Otherwise, if the received transaction records 25 are authenticated, computer system 507 at step 712 forwards a copy of the signed transaction records received from system 100 to postal authority computer 550 for storage and analysis purposes. Computer system 507 then computes the total postage incurred in the franking 30 transactions based on the received records. It should be noted that the received records are in chronological order, with the first record time-stamped earliest in the current reporting cycle. At step 715, system 507 subtracts the ascending register value in field 307 of 35 the first received record from that of the last received record, and adds to the difference the transaction amount in field 305 of the first received record. The resulting

-14-

value is stored in a temporary buffer (not shown) in SRAM 207, as indicated at step 718. Such a value would equal the postage franked during the current reporting cycle, provided that no ascending register rollover occurred during such a cycle. Computer system 507 at step 721 determines any such rollover by identifying any FLAG = 1 in field 309 of the received records. If one or more of the records have FLAG = 1, for each rollover, computer system 507 at step 724 adds 10,000,000 to the value in the temporary buffer to obtain the correct postage franked during the cycle. In any event, computer system 507 at step 727 transmits the resulting temporary buffer value, representing the postage franked during the cycle to settlement system 565, along with the financial account information associated with system 100.

In response, settlement system 565 causes transfer of funds in the amount of the franked postage from the financial account associated with franking system 100 to a predetermined postal authority account. System 565 then sends to postal authority computer 550 a message indicating the completion of the funds transfer.

Postal authority computer 550 may analyze and/or audit the franking transaction records of franking system 100 for any reporting cycle, which were forwarded thereto by data center 503, to verify whether the amount of the funds transferred to the postal authority account matches the postage consumed by system 100 in that cycle. Specifically, computer 550 may retrieve from its storage the franking transaction records of system 100 of a selected reporting cycle. Computer 550 first uses public key 238b, a copy of which was provided thereto earlier, to authenticate the retrieved records. After the records are authenticated, computer 550 may retrace the franking transactions in the reporting cycle by going through the records one by one in chronological order. In particular, computer 550 examines field 305 and field 307 of each transaction record, which indicate the

-15-

corresponding franking transaction amount, and the resulting ascending register value, respectively. Computer 550 then determines whether the ascending register value properly takes into account the

5 transaction amount in the same record. If it does not, system 100 fails the audit. In that case, computer 550 generates an exception report concerning system 100 and transmits same to data center 503. Upon receiving the exception report, data center 503 causes system 100 to

10 shut down until it is satisfactorily audited and re-started by authorized personnel.

The above-described postage finance arrangement in accordance with the invention may be readily modified to account for resource consumptions in general. For

15 example, Fig. 8 illustrates an arrangement which, similar to the arrangement of Fig. 5, may be used to account for gas consumptions by customers of a natural gas company. Similar to data center 503, data center 803, which is operated and maintained by a resource consumption

20 reporting company, from time to time communicates with gas meters 805-1 through 805-M in accordance with a predetermined protocol. In this instance, gas meters 805-1 through 805-M are structurally identical, and reside on customer premises to measure and report gas

25 consumptions by the customers, respectively, where M represents an integer greater than one.

Fig. 9 illustrates one such gas meter, generically denoted 805. As shown in Fig. 9, meter 805 includes measuring device 903 which measures the amount

30 of gas consumed by the customer associated therewith. Like PSD 110, meter 805 also includes memory 907 similar to SRAM 207, clock 905 similar to clock 205, and cryptographic engine 920 similar to cryptographic engine 220. Memory 907 comprises counter 833 similar to counter

35 233, and register 930 similar to ascending register 230 to keep track of the amount of gas consumed. Processor 903 creates consumption records periodically, e.g., once

-16-

every 15 minutes, to account for the gas consumptions in the corresponding periods. The format of each consumption record is similar to that of Fig. 3, although the field corresponding to field 305 contains information concerning the amount of gas consumed in the corresponding period instead of a transaction amount. The consumption records, thus created, constitute consumption log 941 in memory 907. The records may be cryptographically signed before they are communicated to data center 803 through communication facility 945 which includes, e.g., a modem. To that end, memory 907 includes at least private key 938 for use by cryptographic engine 920 to cryptographically sign the consumption records, in accordance with a public key algorithm, e.g., the DSA. Copies of the public key corresponding to private key 938 are provided beforehand to data center 803 and gas company computer 850 for authenticating the consumption records communicated by meter 805.

Like data center 503, data center 803 polls each of gas meters 805-1 through 805-M for consumption records of each reporting cycle. Data center 803 then receives and processes the records in accordance with a routine similar to that of Fig 7. Data center 803 computes the charges for the gas consumption during the reporting period, and transmits the computed charges and the financial account information associated with the gas meter to settlement system 865. Like settlement system 565, settlement system 865 causes transfer of funds covering such charges from the financial account associated with the gas meter to a predetermined gas company account. System 865 then sends to gas company computer 850 a message indicating the completion of the funds transfer.

Like postal authority computer 550, gas company computer 850 may audit the gas consumption records of a gas meter for any reporting cycle, which were forwarded

-17-

thereto by data center 803. In addition, computer 850 may analyze the received consumption records to obtain statistics concerning relative gas demands in different geographic areas served by the natural gas company.

5 Based on such statistics, computer 850 may effectively manage the supply of gas from its limited sources to the different geographic areas according to their demands. To that end, computer 850 may control the gas transport to direct calculated amounts of gas to the respective
10 areas. Thus, with the inventive arrangement, the shorter is the reporting cycle, the closer the gas distribution to customers to a just-in-time fashion.

It should be noted that data center 803 may serve more than one provider providing resources to
15 effect the finance arrangement in accordance with the invention. Fig. 10 illustrates one such arrangement where data center 803 serves a gas company and an electric company to account for the gas consumptions and electric consumptions by their customers, respectively.
20 As shown in Fig. 10, apart from gas meters 805-1 through 805-M, electric meters 1005-1 through 1005-K, which are designed similarly to meter 805, communicate records of electric consumptions to data center 803 in accordance with the predetermined protocol, where K represents an
25 integer greater than one. Data center 803 computes the charges for the respective gas and electric consumptions, and causes settlement system 865 to transfer funds covering such charges from the customer accounts to the predetermined gas company and electric company accounts,
30 respectively. In addition, gas company computer 950 and electric company computer 1050 may audit and/or analyze the consumption records forwarded thereto by data center 803.

Based on the disclosure heretofore, it is
35 apparent that the arrangement of Fig. 10 can be expanded to serve many different resource providers as long as the devices measuring the resource consumptions are capable

-18-

of communicating consumption records to data center 803 in accordance with the predetermined protocol. Of course, one such resource provider may be a postal authority providing a postal service described before.

5 Thus, it is apparent that data center 803 may communicate with franking systems similar to system 100 described before, as well as utility meters similar to meter 805, in accordance with the same predetermined protocol to effect the inventive finance arrangement.

10 The foregoing merely illustrates the principles of the invention. It will thus be appreciated that those skilled in the art will be able to devise numerous other arrangements which embody the principles of the invention and are thus within its spirit and scope.

15 For example, in the disclosed embodiment, certain communication data is cryptographically signed for authentication purposes. It will be appreciated that such data may be cryptographically encrypted and/or signed.

20 In addition, in the disclosed embodiment, the DSA is illustratively used to perform data authentication, another well-known data authentication algorithm such as the RSA or Elliptic Curve algorithm may be used, instead.

25 Further, in the disclosed embodiment, franking system 100 is configured as an open system. It will be appreciated that the franking system may be configured as a closed system in the form of a postage meter including therein a dedicated printer.

30 Finally, PSD 110 and meter 805 are disclosed herein in a form in which various functions are performed by discrete functional blocks. However, any one or more of these functions could equally well be embodied in an arrangement in which the functions of any one or more of
35 those blocks or indeed, all of the functions thereof, are realized, for example, by one or more appropriately programmed processors.

-19-

Claims

1. Apparatus for accounting for consumption of a resource comprising:

5 a memory for providing a value indicative of a cumulative measure of the consumption;

a processor for generating a plurality of records, each record including at least time information, an individual measure of the consumption, and the value taking into account the individual measure; and

10 an output device for transmitting ones of the records selected based on the time information therein.

2. The apparatus of claim 1 wherein each record also includes an indicator indicative of a truncation of the value.

15 3. The apparatus of claim 1 wherein the consumption of the resource includes utilization of a postal service, and the individual measure includes postage dispensed for the utilization of the postal service.

20 4. The apparatus of claim 3 wherein each record is associated with a different transaction of postage dispensation.

25 5. The apparatus of claim 4 wherein the time information in each record is indicated by an index identifying the transaction associated with the record.

30 6. The apparatus of claim 4 wherein the time information in each record concerns a time of the transaction associated with the record.

7. The apparatus of claim 3 further comprising a controller for generating at least part of a postage

-20-

indicium.

8. The apparatus of claim 1 wherein the consumption includes a utility consumption.

9. The apparatus of claim 1 further comprising a
5 controller for cryptographically processing the plurality of records.

10. The apparatus of claim 9 wherein the plurality of records are cryptographically signed to authenticate the records.

10 11. A system for processing charges for consumptions of at least one resource, the consumptions being measured using a plurality of devices, each device being associated with a different financial account, the system comprising:
15 a receiver for receiving a plurality of records from each device, each record including at least a measure of a consumption of the resource;
a processor for determining, for each device, charges for the consumption of the resource based on a
20 subset of the records received from the device; and
a transmitter for transmitting, for each device, the charges and information concerning the financial account associated with the device to a second system for settlement of the charges, and for
25 transmitting the plurality of records associated with the device to a third system for storage.

12. The system of claim 11 wherein the measure of the consumption of the resource in each record includes an amount of individual postage dispensed for utilization
30 of a postal service.

13. The system of claim 12 wherein each record also

-21-

includes a value indicative of cumulative postage dispensed, the value taking into account the amount of the individual postage in the record.

14. The system of claim 13 wherein each record also includes an indicator indicative of a truncation of the value.

15 15. The system of claim 12 wherein each record is associated with a different transaction of postage dispensation.

16. The system of claim 11 wherein the plurality of records include more than two records, and the subset of the records includes two selected records.

15 17. The system of claim 11 wherein the resource includes a utility resource.

18. The system of claim 11 further comprising a controller for cryptographically processing the plurality of records.

20 19. The system of claim 18 wherein the plurality of records are cryptographically signed to authenticate the records.

20. A system for assessing charges for consumptions of at least first and second different resources, the system comprising:

25 a communication apparatus for communicating with at least first and second devices, the first device providing a first measure of consumption of the first resource, the second device providing a measure of consumption of the second, different resource;

30 a processor for determining first charges based on the first measure of consumption of the first resource,

-22-

and second charges based on the second measure of consumption of the second, different resource; and
a transmitter for providing first information concerning the first charges and a first account
5 associated with the first device, and second information concerning the second charges and a second account associated with the second device for settlement of the first and second charges.

21. The system of claim 20 wherein the first and
10 second resources include different utility resources.

22. The system of claim 20 wherein the first resource includes a postal service.

23. The system of claim 22 wherein the second resource includes a utility resource.

15 24. The system of claim 23 wherein the utility resource is a natural gas resource.

25. The system of claim 23 wherein the utility resource is an electric resource.

26. The system of claim 22 wherein the first device
20 provides at least an amount of postage dispensed for the postal service.

27. The system of claim 22 wherein the first device includes a processor for generating at least part of a
25 postage indicium.

28. The system of claim 22 wherein the first device includes a controller for generating at least part of a postage indicium.

-23-

29. A method for use in an apparatus for accounting for consumption of a resource comprising:

providing a value indicative of a cumulative measure of the consumption;

5 generating a plurality of records, each record including at least time information, an individual measure of the consumption, and the value taking into account the individual measure; and

10 transmitting ones of the records selected based on the time information therein.

30. The method of claim 29 wherein each record also includes an indicator indicative of a truncation of the value.

15 31. The method of claim 29 wherein the consumption of the resource includes utilization of a postal service, and the individual measure includes postage dispensed for the utilization of the postal service.

20 32. The method of claim 31 wherein each record is associated with a different transaction of postage dispensation.

25 33. The method of claim 32 wherein the time information in each record is indicated by an index identifying the transaction associated with the record.

34. The method of claim 32 wherein the time information in each record concerns a time of the transaction associated with the record.

30 35. The method of claim 31 further comprising generating at least part of a postage indicium.

36. The method of claim 29 wherein the consumption includes a utility consumption.

-24-

37. The method of claim 29 further comprising cryptographically processing the plurality of records.

38. The method of claim 37 wherein the plurality of records are cryptographically signed to authenticate the records.

39. A method for use in an arrangement for processing charges for consumptions of at least one resource, the consumptions being measured using a plurality of devices, each device being associated with a different financial account, the arrangement including a first system and a second system, the method comprising:

receiving a plurality of records from each device, each record including at least a measure of a consumption of the resource;

determining, for each device, charges for the consumption of the resource based on a subset of the records received from the device; and

transmitting, for each device, the charges and information concerning the financial account associated with the device to the first system for settlement of the charges, and for transmitting the plurality of records associated with the device to the second system for storage.

40. The method of claim 39 further comprising re-allocating the resource based on statistics derived from the records stored in the second system.

41. The method of claim 39 wherein the measure of the consumption of the resource in each record includes an amount of individual postage dispensed for utilization of a postal service.

42. The method of claim 41 wherein each record also includes a value indicative of cumulative postage

-25-

dispensed, the value taking into account the amount of the individual postage in the record.

43. The method of claim 42 wherein each record also includes an indicator indicative of a truncation of the value.

44. The method of claim 41 wherein each record is associated with a different transaction of postage dispensation.

45. The method of claim 39 wherein the plurality of records include more than two records, and the subset of the records includes two selected records.

46. The method of claim 39 wherein the resource includes a utility resource.

47. The method of claim 39 further comprising cryptographically processing the plurality of records.

48. The method of claim 47 wherein the plurality of records are cryptographically signed to authenticate the records.

49. A method for use in a system for assessing charges for consumptions of at least first and second different resources, the system including at least first and second devices, the first device providing a first measure of consumption of the first resource, the second device providing a measure of consumption of the second, different resource, the method comprising:

receiving from the first device the first measure of consumption of the first resource, and from the second device the second measure of consumption of the second, different resource;

determining first charges based on the first

-26-

measure of consumption of the first resource and second charges based on the second measure of consumption of the second, different resource; and

5 providing first information concerning the first charges and a first account associated with the first device, and second information concerning the second charges and a second account associated with the second device for settlement of the first and second charges.

10 50. The method of claim 49 wherein the first and second resources include different utility resources.

51. The method of claim 49 wherein the first resource includes a postal service.

52. The method of claim 51 wherein the second resource includes a utility resource.

15 53. The method of claim 52 wherein the utility resource is a natural gas resource.

54. The method of claim 52 wherein the utility resource is an electric resource.

20 55. The method of claim 51 wherein the first charges include an amount of postage dispensed for the postal service.

1/5

Fig. 1


100

Fig. 2


110

Fig. 3^{2/5}

301	303	305	307	309
TID	DATE AND TIME OF TRANSACTION	TRANSACTION AMOUNT	ASCENDING REGISTER VALUE	FLAG


Fig. 4A

2233	11-20-1999 9:40 AM	0.33	9,999,986.60	0
------	-----------------------	------	--------------	---

Fig. 4B

2234	11-20-1999 9:45 AM	15.25	0,000,001.85	1
------	-----------------------	-------	--------------	---

Fig. 5



3/5

Fig. 7





Fig. 4/5
6

Fig. 8




Fig. 9





Fig. 10



INTERNATIONAL SEARCH REPORT

 International application No.
PCT/US00/03585

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 17/60

US CL : 705/30; 705/34, 400, 412

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 705/1, 30, 34, 400, 412

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

None

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

None

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0048746 B1 (FARNSWORTH et al) 10 July 1985, see column 1 to column 3, line 5.	1, 8, 11, 16, 17, 20, 21, 29, 36, 39, 45, 46, 49 & 50
X	US 4,783,748 A (SWARZTRAUBER et al) 08 November 1988, see abstract.	1, 8, 11, 16, 17, 20, 21, 29, 36, 39, 45, 46, 49 & 50



Further documents are listed in the continuation of Box C.



See patent family annex.

*

Special categories of cited documents:

A

document defining the general state of the art which is not considered to be of particular relevance

B

earlier document published on or after the international filing date

I

document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O

document referring to an oral disclosure, use, exhibition or other means

P

document published prior to the international filing date but later than the priority date claimed

T

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

A

document member of the same patent family

Date of the actual completion of the international search

03 MAY 2000

Date of mailing of the international search report

07 JUN 2000

 Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

EDWARD R COSIMANO

Telephone No. (703) 308-9783

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/03585

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4,811,011 A (SOLLINGER) 07 March 1989, see abstract.	1, 8, 11, 16, 17, 20, 21, 29, 36, 39, 45, 46, 49 & 50
X	US 5,142,566 A (MESCHI) 25 August 1992, see abstract.	1, 8, 11, 16, 17, 20, 21, 29, 36, 39, 45, 46, 49 & 50
X	US 5,173,935 A (MESCHI) 22 December 1992, see abstract.	1, 8, 11, 16, 17, 20, 21, 29, 36, 39, 45, 46, 49 & 50
X	US 5,197,095 A (BONNET et al) 23 March 1993, see abstract.	1, 8, 11, 16, 17, 20, 21, 29, 36, 39, 45, 46, 49 & 50
X	JP 05-136903 A (NAGASE) 01 June 1993, see purpose and constitution.	1, 8, 11, 16, 17, 20, 21, 29, 36, 39, 45, 46, 49 & 50
X	US 5,715,164 A (LIECHTI et al) 03 February 1998, see abstract.	1, 3-39 & 41-55
X,P	US 5,994,892 A (TURINO et al) 30 November 1999, see abstract.	1, 8, 11, 16, 17, 20, 21, 29, 36, 39, 45, 46, 49 & 50

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US00/03585

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. ☒ Claims Nos.: 40
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:

The subject recited in claim 40 lacks proper antecedent basis in the disclosure.

3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:

4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
☐ No protest accompanied the payment of additional search fees.